This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.






FIG. 1




F I G. 2

F I G. 3



F I G. 4



F I G. 5





FIG. 6



F I G. 7





FIG. 8



F I G. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14

F I G. 15




FIG. 16

- **G**9 HANAKO OLYMPUS (1234) BATTERY:100% CHANGE OF ITEM INJECTION UNEXECUTED EXECUTED TO NEXT PAGE TO PREVIOUS PAGE 05TH 10:00 JIRO OLYMPUS INJECTION: IV JIRO OLYMPUS START : DIV 05TH 14:00 (05TH 14:00) JIRO OLYMPUS END : DIV **RETURN**

FIG. 17

€ G10

HANAKO OLYMPUS (1234) BATTERY:100%	
JIRO OLYMPUS 2002/05/05 10:00 IV	
INPUT IDENTIFICATION CODE OF BATTLE LABEL.	
MEDICINE USED TO PREVIOUS PAGE	TO NEXT PAGE
MEDICINE 001	10 BAGS
MEDICINE 002	1 BAG
MEDICINE 003	2 BAGS
CANCEL BREAK	INPUTTING JOB

MEDICINE ID	ORDER ID	ORDER CHECK EXCLUSIVE DIGIT
1111	1234	0

€ G11




FIG. 20



HANAKO OLYMPUS	(1234)	BATTERY: 100%	
SELECT PATIENT			
	IDENTIF	ICATION CODE PATIENT.	0F
CANCEL			




FIG. 22


G14


TEST NURSE (1234) BATTERY:80%	6
EXECUTION OF INJECTION	
JIRO OLYMPUS ID: 11111111 28 YEARS 9 MONTHS SCHEDULED DATE AND TIME: 2002/04/16 TYPE: DOSING METHOD 1 CONTENTS: START OF INSTILLATION ROOT: ROOT 1 SPEED: 500mmL/H MEDICINE USED: TO PREVIOUS PAGE	
MEDICINE 001	10 PILLS
MEDICINE 002	1 BAG
MEDICINE 003	2 BAGS
CANCEL EX	ECUTE



HANAKO OLYMPUS (1234) BATTERY:100%						
JIRO OLYMPUS						
DOSE OF ONE-SHOT	INJECTION					
			100	%		
				***************************************	* · · • · · · · · · · · · · · · · · · ·	
7	8		9		BS	uannamananananananananana
4	5		6			unduntum; Inntendo
1	2		3		С	alundundundundundundundu
0	00					tunihanihanihanihanihanihanihanihanihaniha
CANCEL				DETE	ERMINE	

FIG. 24








FIG. 26






FIG. 27








FIG. 30




FIG. 32A

	1ST	2ND	3RD
MORNING	(1) TEMPERATURE (2) PULSE (3) BLOOD PRESSURE (4) ASPIRATION	(1) TEMPERATURE (2) PULSE (3) BLOOD PRESSURE (4) ASPIRATION	(1) TEMPERATURE (2) PULSE (3) BLOOD PRESSURE (4) ASPIRATION
AFTERNOON	(1) TEMPERATURE (2) PULSE (3) BLOOD PRESSURE (4) ASPIRATION	(1) TEMPERATURE (2) PULSE (3) BLOOD PRESSURE (4) ASPIRATION	(1) TEMPERATURE (2) PULSE (3) BLOOD PRESSURE (4) ASPIRATION
EVENING	(1) TEMPERATURE (2) PULSE (3) BLOOD PRESSURE (4) ASPIRATION	(1) TEMPERATURE (2) PULSE (3) BLOOD PRESSURE (4) ASPIRATION	(1) TEMPERATURE (2) PULSE (3) BLOOD PRESSURE (4) ASPIRATION

FIG. 32B

	1ST		2ND	3RD	
MORNING	(2) PULSE (3) BLOOD PRESSURE	UNSCHED- ULED EXAMINA- TION	(1) TEMPERATURE (2) PULSE (3) BLOOD PRESSURE (4) ASPIRATION	(1) TEMPERATURE (2) PULSE (3) BLOOD PRESSURE (4) ASPIRATION	
AFTERNOON	(2) PULSE (3) BLOOD PRESSURE	ASPIRA- TION BLOOD PRESSURE	(1) TEMPERATURE (2) PULSE (3) BLOOD PRESSURE (4) ASPIRATION	(1) TEMPERATURE (2) PULSE (3) BLOOD PRESSURE (4) ASPIRATION	
EVENING	(1) TEMPERATURE (2) PULSE (3) BLOOD PRESSURE (4) ASPIRATION		(1) TEMPERATURE (2) PULSE (3) BLOOD PRESSURE (4) ASPIRATION	(1) TEMPERATURE (2) PULSE (3) BLOOD PRESSURE (4) ASPIRATION	

F I G. 32C

	1ST	2ND	3RD	
(1) TEMPERATURE (2) PULSE (3) BLOOD PRESSURE (4) ASPIRATION		(1) TEMPERATURE (2) PULSE (3) BLOOD PRESSURE (4) ASPIRATION	(1) TEMPERATURE (2) PULSE (3) BLOOD PRESSURE (4) ASPIRATION	
AFTERNOON (1) TEMPERATURE (2) PULSE (3) BLOOD PRESSURE (4) ASPIRATION		(1) TEMPERATURE (2) PULSE (3) BLOOD PRESSURE (4) ASPIRATION	(1) TEMPERATURE (2) PULSE (3) BLOOD PRESSURE (4) ASPIRATION	
SUDDEN CHANGE (1) ASPIRATION (2) BLOOD PRESSURE (2) BLOOD PRESSURE (2) BLOOD PRESSURE (2) ASPIRATION (2) ASPIRATI				
EVENING	(1) TEMPERATURE (2) PULSE (3) BLOOD PRESSURE (4) ASPIRATION	(1) TEMPERATURE (2) PULSE (3) BLOOD PRESSURE (4) ASPIRATION	(1) TEMPERATURE (2) PULSE (3) BLOOD PRESSURE (4) ASPIRATION	

G25




FIG. 33




FIG. 34




FIG. 35




FIG. 36

		G29
		>
		BATTERY: 100%
INPUT BOTTLE LABEL		
LOWERCASE UPPERCASE ALPHANUMERIC ALPHANUMERIC	NUMERIC	SYMBOL 1 SYMBOL 2
. 1 2	3	
4 5	6	
7 8	9	
О		
	BAG	CK SPACE DELETE
CANCEL		DETERMINE
		42

FIG. 37




FIG. 38A





FIG. 38B







FIG. 40

NEW SOFTWARE IS PREPARED AND FETCHED.
DO NOT TURN OFF POWER, BUT WAIT.

PdaNurseCE. exe (3/4)






FIG. 42